



B4

BASE FISSA
fixed base



B3

TRASLAZIONE MOTORIZZATA
motorized translation



T4


TRONCHETTO DI FONDAZIONE
expendable foundation element

DIAGRAMMA DI PORTATA LOAD DIAGRAM LASTKURVEN COURBES DE CHARGES CURVAS DE CARGAS




m.	Portata max - Max s.w.l. - Charge maxi																									8,0 t
75	30,7 8,00	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60	62	64	66	68	70	72	75	m.		
		7,69	7,17	6,71	6,30	5,93	5,59	5,29	5,02	4,76	4,53	4,32	4,12	3,94	3,77	3,61	3,46	3,32	3,19	3,07	2,96	2,85	2,70	t		
70	30	32,9 8,00	34	36	38	40	42	44	46	48	50	52	54	56	58	60	62	64	66	68	70	m.				
			7,67	7,18	6,74	6,35	6,00	5,67	5,38	5,11	4,87	4,64	4,43	4,24	4,06	3,89	3,73	3,59	3,45	3,32	3,20	t				
65	30	32	34,8 8,00	36	38	40	42	44	46	48	50	52	54	56	58	60	62	64	65	m.						
				7,69	7,23	6,81	6,43	6,09	5,78	5,50	5,23	4,99	4,77	4,56	4,37	4,19	4,03	3,86	3,80	t						
60	30	32	34	37,8 8,00	38	40	42	44	46	48	50	52	54	56	58	60	m.									
					7,87	7,42	7,01	6,64	6,31	6,00	5,72	5,46	5,22	5,00	4,79	4,60	t									
55	30	32	34	36	39,7 8,00	40	42	44	46	48	50	52	54	55	m.											
						7,82	7,39	7,01	6,66	6,33	6,04	5,77	5,51	5,40	t											
49	30	32	34	36	39,9 8,00	40	42	44	46	48	49	m.														
						7,96	7,52	7,13	6,78	6,45	6,30	t														
43	30	32	34	36	38	40,6 8,00	42	43	m.																	
							7,60	7,40	t																	







m.	Portata max - Max s.w.l. - Charge maxi																									16,0 t	8,0 t				
75	16,6 16,0	18	20	22	24	26	28	30	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60	62	64	66	68	70	72	75	m.
		14,4	12,8	11,4	10,3	9,45	8,66	7,98	7,39	6,87	6,41	6,00	5,36	5,29	4,99	4,72	4,46	4,23	4,02	3,82	3,64	3,47	3,31	3,16	3,02	2,89	2,77	2,66	2,55	2,40	t
70	16	17,5 16,0	20	22	24	26	28	30	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60	62	64	66	68	70	m.		
			13,6	12,2	11,1	10,1	9,27	8,55	7,92	7,37	6,88	6,44	6,05	5,70	5,37	5,08	4,81	4,57	4,34	4,13	3,94	3,76	3,59	3,43	3,29	3,15	3,02	2,90	t		
65	16	18,6 16,0	20	22	24	26	28	30	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60	62	64	65	m.				
			14,6	13,1	11,8	10,8	9,94	9,17	8,50	7,91	7,39	6,93	6,51	6,13	5,79	5,48	5,20	4,93	4,69	4,47	4,26	4,07	3,89	3,73	3,57	3,50	t				
60	16	19,8 16,0	20	22	24	26	28	30	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60	m.							
			15,8	14,2	12,9	11,7	10,8	9,99	9,26	8,63	8,07	7,57	7,12	6,71	6,34	6,01	5,70	5,42	5,16	4,92	4,70	4,49	4,30	t							
55	16	18	20,6 16,0	22	24	26	28	30	32	34	36	38	40	42	44	46	48	50	52	54	55	m.									
				15,0	13,5	12,4	11,4	10,5	9,77	9,10	8,52	7,99	7,52	7,09	6,71	6,36	6,03	5,74	5,47	5,21	5,10	t									
49	16	18	21,5 16,0	22	24	26	28	30	32	34	36	38	40	42	44	46	48	49	m.												
				15,2	13,8	12,6	11,6	10,7	9,94	9,27	8,67	8,14	7,66	7,22	6,83	6,48	6,15	6,00	t												
43	16	18	21,6 16,0	22	24	26	28	30	32	34	36	38	40	42	43	m.															
				15,4	13,9	12,7	11,7	10,8	10,0	9,36	8,76	8,22	7,73	7,30	7,10	t															

TORRE/REAZIONI TOWER/REACTIONS TURM/REAKTIONEN TOUR/REACTIONS MASTIL/REACCIONES











MECCANISMI MECHANISMS ANTRIEBE MÉCANISMES MECANISMOS

	giri/min	m/min	Nm	Kw
	0,74	-	4x60	-
	-	12/38/80	-	11
	-	18	-	4x4

								
	CV - ch PS - hp	KW			m	marcia - step vitesse - gang velocidades	m/min	(t)
55 FV5 80	75	55	320	1 2 3 4 5	0 - 4 0 - 32 0 - 42 0 - 55 0 - 72	8 8 6 4,2 3	0 - 2 0 - 16 0 - 21 0 - 27,5 0 - 36	16 16 12 8,4 6

Potenza totale richiesta - Total installed power Geforderte Stromstärke - Puissance totale nécessaire Potencia necesaria	55 FV5 80 - 110 kVA	400 V - 50 Hz
--	---------------------	---------------

MONTAGGIO ASSEMBLY VERSAMMEWNG MONTAGE ASAMBLEA

<p>B 6,0x6,0 m. Tot. 6700 Kg.</p> 	<p>11.8 / 6200 Kg. 5.9 / 3250 Kg. 2.95 / 1840 Kg.</p> 	<p>Z 323 / 3230 Kg. Z 624 / 6240 Kg.</p> 	<p>8700 Kg.</p> 
<p>9000 Kg.</p> 	<p>8000 Kg.</p> 	<p>4000 Kg.</p> 	
<p>13900 Kg.</p> 			

LISTA DEI PESI PACKING LIST KOLLI-LISTE LISTE DE COLLISAGE LISTA DE PESOS

Pos. Item	Pezzi Pieces	Denominazione Description	Schizzo Sketch	Dimensioni Dimensions			Peso Weight (Kg)			
				L	W	H	Unit.	Total.		
1	1	Elemento di freccia Jib element Ausleger Elément de flèche Elemento de flecha	N°2		6,515	1,600	2,340	3600	3600	
	1		N°3		6,530	1,600	2,340	2670	2670	
	1		N°4		5,030	1,600	2,300	1700	1700	
	1		N°5		6,510	1,600	2,300	1810	1810	
	1		N°6		6,480	1,600	2,265	1670	1670	
	1		N°7		6,455	1,600	2,045	1465	1465	
	1		N°8		6,415	1,600	2,005	1100	1100	
	1		N°9		6,355	1,600	1,965	900	900	
	1		N°10		6,325	1,600	1,945	780	780	
	1		N°11		5,325	1,600	1,935	510	510	
	1		N°12		5,305	1,600	1,505	430	430	
	1		N°13		5,295	1,600	1,495	340	340	
	1		N°14		5,295	1,600	1,495	340	340	
	2		1	Elemento controfreccia "T" "T" Counterjib section with trolley winch Contreflèche porte treuil Gegenfock-Abschnitt mit Karren-Winde Elemento de controflecha "T"		11,200	1,600	2,346	7100	7100
3	1	Elemento controfreccia esterno External counterjib Externes Gegenausleger Contreflèche extérieure Elemento de controflecha externo		12,000	3,500	1,800	7000	7000		
4	1	Gruppo rotazione Slewing table Table tournante Drehgruppe Grupo de rotación		2,350	2,600	2,000	7800	7800		
5	-	Elemento di torre Tower element Turmstück Elément de mature Elemento de torre	(HC 210)		11,800	2,300	2,300	6200	6200	
	-				5,900	2,300	2,300	3250	3250	
	-				2,950	2,300	2,300	1840	1840	
6	1	Tronchetto di fondazione Expendable foundation element Fundamentanker Elément a sceller Tronco de fundacion		1,810	2,400	2,400	1400	1400		
7	1	Base completa Base complete Chassis de base Hauptträger für kreuzgelenk Base completa			6,000	6,000	3,600	6700	6700	
	2			Bilancino traslazione folle/motorizzato Driven boige Fahrtschemel ohne/motorantrieb Boggie fou/motorisee Eslinga de viajes motorizados/loco	B1	1.16	0.25	0.503	455	960
	2				B2	1.16	0.59	0.503	680	1360
15	18	Blocco di zavorra Base ballast block Grundballastblöcken Lest de base Bloque de lastre			(Z 323)	4,200	0,320	1,400	3230	58140
	2				(Z 624)	5,200	0,400	1,400	6240	12480
16	1	Blocco di appoggio Concrete pad Betonfuss Sabot en béton Bloque de apoyo			(A 960)	1,300	0,185	2,500	960	1920
	2				(A 2500)	1,300	0,470	2,500	2500	5000
	8				(A 3840)	1,300	0,740	2,500	3840	30720